

THE EFFECTIVENESS OF BIKE FITTING IN IMPROVING TIME ON A 1-KM CYCLING TIME TRIAL OF AN AMATEUR ROAD CYCLIST

Manuel Alejandro R. Gonzalez IV, PTRP, DPT

UPH – Dr. Jose G. Tamayo Medical University, College of Physical Therapy, **PHILIPPINES**
gonzalez.manuel@uphsl.edu.ph

Martin A. Rentero

UPH – Dr. Jose G. Tamayo Medical University, College of Physical Therapy, **PHILIPPINES**
a21-0188-686@uphsl.edu.ph

Brian F. Tan

UPH – Dr. Jose G. Tamayo Medical University, College of Physical Therapy, **PHILIPPINES**
a21-0187-903@uphsl.edu.ph

Jeremie I. Vallez

UPH – Dr. Jose G. Tamayo Medical University, College of Physical Therapy, **PHILIPPINES**
a21-0219-620@uphsl.edu.ph

ABSTRACT

Time trials, the heartbeat of precision and endurance in the cycling world, are a testament to an athlete's solitary battle against the clock. A unique discipline where riders challenge not only their competitors but also their limits, time trials unveil the pure essence of speed, strategy, and mental fortitude. In the world of cycling, achieving optimal performance and preventing injuries is a delicate balance. One crucial factor that often goes underestimated is the art and science of bike fit. Bike fitting involves adjusting the biomechanics of the bike to suit the individual cyclist's body and capabilities, aiming to improve performance and reduce the risk of injuries. The study aimed to determine the effectiveness of bike fitting to improve the performance of amateur road cyclists, the researchers utilized the 1-KM cycling time trial test as an outcome measure to assess the performance of the amateur cyclists before and after the implementation of the bike fitting. The effectiveness of bike fitting in improving speed on a 1-km cycling time trial of an amateur road cyclist was expressed through the pre-test and post-test scores of the participants. Prior to the implementation of the program, the pre-test scores of the 30 participants had been recorded. The gathered pretest scores signify the initial measures of the time of each participant. During the implementation, it was notable that the 1-KM cycling time trial of the participants had significantly improved by the end of the bike fitting session. Overall, based on their Mean Value the participants have an improvement in their posttest scores as compared to their pretest scores with the mean of the pre-test scores and post-test scores is 106.18 secs and 104.86 secs respectively. The data recorded from these scores indicated a decrease in the time of 1-KM cycling time trial. The improvements in the time trial were most apparent after the participants completed the bike fitting where their posttest scores significantly improved as compared to their pretest scores. Moreover, the intervention of the Bike Fitters protocol helps improve the body's flexibility, posture, range of motion (upper, mid and lower body) balance. Based on the results, the researchers concluded that there is a significant difference between the 1-KM cycling time trial pretest and posttest measurement of the respondents after participating in the bike fitting; thus, the outcome of the study was consistent with the objective of the study.

Keywords: Bike fitting, Amateur cyclists, Cycling time trial, Road cycling

INTRODUCTION

Time trials, the heartbeat of precision and endurance in the cycling world, are a testament to an athlete's solitary battle against the clock. A unique discipline where riders challenge not only their competitors but also their limits, time trials unveil the pure essence of speed, strategy, and mental fortitude. In the world of cycling, achieving optimal performance and preventing injuries is a delicate balance. One crucial factor that often goes underestimated is the art and science of bike fit. Bike fitting involves adjusting the biomechanics of the bike to suit the individual cyclist's body and capabilities, aiming to improve performance and reduce the risk of injuries. According to Lindsey, bike fitting is a process aimed at tailoring a bicycle's configuration to the specific needs of the rider. It involves making precise adjustments to the bike's components, including saddle height, handlebar position, pedal alignment, and more, to ensure that the rider's body is in an optimal position for comfort, performance, and injury prevention.

An incorrect body position while cycling can lead to several overuse injuries. Even minor alterations, especially at the points where the body interacts with the bike, can impact the rider's biomechanics along the entire body, ultimately enhancing comfort, efficiency, and the ability to generate power. Every person has a unique measurement in terms of bike fitting, which is why it is important that a bike fitter has knowledge of anatomy and kinesiology when doing a bike fit, and this is to ensure comfort for every cyclist. Physical therapists are highly trained individuals who specialize in optimizing movement and function. Anatomy and kinesiology are also some of the fields that physical therapy mastered. The knowledge of a Physical Therapist about bike fit extends far beyond the basic adjustments of seat height and handlebar positioning. They possess a deep understanding of how the human body interacts with the bicycle, considering an individual's unique physiology, flexibility, and riding goals.

Despite its importance, there remains a significant research gap regarding the relationship between bike fit and the prevention or management of cycling-related injuries, particularly hip and lower back pain. Limited empirical studies have examined how improper fitting contributes to these issues, and even fewer have explored the role of physical therapists in addressing them through biomechanical interventions. Furthermore, there is a lack of comprehensive understanding of how body positioning during time trials may predispose athletes to overuse injuries, underscoring the need for more focused research in this area. Bridging this gap could not only enhance athletic performance but also lead to more effective injury prevention strategies tailored to individual cyclists.

LITERATURE REVIEW

Physical therapists play an essential role in the healthcare system by helping patients and communities improve their movement and overall function. Their expertise in anatomy and kinesiology enables them to assess, diagnose, and create personalized treatment plans that address specific physical needs (Whittaker et al., 2019; Carroll, 2021). This advanced understanding is particularly valuable in specialized interventions such as bike fitting, where precise adjustments can significantly impact a cyclist's performance and comfort (Wadsworth & Weinrauch, 2019). In recent years, cycling has grown in popularity, especially during the COVID-19 pandemic, as people sought healthier, more sustainable modes of transportation and recreation (Ito & Cheer, 2022; Gaspay et al., 2022; Ciascai et al., 2022). However, the rise in cycling has also been accompanied by an increase in musculoskeletal injuries, often

resulting from improper bike setup, overtraining, and poor riding posture (Schwellnus & Derman, 2014; Fenelon et al., 2018). The type of bicycle used—whether a road bike, mountain bike, or hybrid—plays a role in the cyclist's experience, but regardless of type, a properly fitted bike is crucial for optimal performance and injury prevention (Arriel et al., 2022; Gupta & Kalra, 2023; Hamoodi et al., 2022).

Bike fitting involves adjusting key components such as the saddle height, handlebar position, and pedal alignment to suit the rider's unique body mechanics. These adjustments not only enhance comfort but also improve biomechanical efficiency, increase power output, and minimize the risk of overuse injuries (Kotler et al., 2016; Burt, 2022). Research has shown that a properly fitted bike can lead to better pedaling mechanics, greater kinematic stability, and improved time trial performance (Choi et al., 2018; Holliday & Swart, 2021; Wiles et al., 2023).

Moreover, maintaining an ergonomic cycling posture, supported by a proper fit, is vital for preventing common discomforts and injuries associated with the sport, such as lower back pain, knee strain, and wrist issues (Salvendy & Karwowski, 2021; Huang et al., 2018; Said et al., 2022). Given these factors, our study aims to explore the effectiveness of bike fitting in enhancing the performance of amateur road cyclists, specifically by measuring improvements in their 1-kilometer cycling time trial results. By understanding the impact of professional bike fitting, we hope to contribute valuable insights to both the fields of physical therapy and sports performance.

METHODOLOGY

The study utilized a quasi-experimental type of research to investigate the effects of bike fitting. This study used protocols and measurement instruments to assess the outcome of the exercise intervention and determine variations of results. In accordance with these procedures, the researchers used the Single-Group Pretest-Posttest Research Design as this incorporates both pre-test and post-test studies by conducting a single-group evaluation before and after time trial. The outcome measure, the 1-KM cycling time trial, will be carried out to the selected amateur road cyclists before and after the bike fit to determine its effectiveness in improving their performance. The data obtained using this research design will allow the researchers to numerically compare the pre and post effects of the bike fitting on the selected outcome, which were essential in answering the hypothesis of the study.

For the respondents for the study, the researchers based on the following inclusion criteria: (1) Amateur Cyclist; (2) Sex; (3) At least 18 years old; (4) No recent injuries for the past 3 months, (5) 2 years or more experiences of cycling, (6) has a road bike, (7) uses bike cleats, (8) Did not have any bike fitting services, and (9) currently residing in Barangay Sala, Cabuyao, Laguna. On the other hand, the respondents were excluded if they are (1) with asthma; (2) prior history of surgery of the back and hamstrings with any pain for more than 3 months; (3) anti-inflammatory medication in the past 2 weeks; (4) hypertension; (5) history of trauma; (6) impaired balance conditions; (7) Use of performance-enhancing drugs or substances. For the research instruments, the researchers utilized the 1-KM cycling time trial test as an outcome measure to assess the performance of the amateur cyclists before and after the implementation of the bike fitting. The outcome measure will be used to collect the primary data needed.

RESULTS

Table 1 shows the pre-test scores of the participants with the mean score of 106.18 secs.

Table 1
Respondent's Pre-test Scores in the 1-KM cycling time trial

	N	Minimum	Maximum	Mean	Std. Deviation
Pretest	30	88.08 secs	130.99 secs	106.18 secs	10.18232
Valid N (listwise)	30				

The maximum pretest score was 130.99 secs and the minimum was 88.08 secs. The standard deviation of 10.18 (SD = ± 10.18) which indicated that the pre-test time of the respondents were dispersed. The pretest scores served as a baseline to measure the effectiveness of bike fitting in improving 1-km cycling time trials on amateur road cyclists by comparing pre and post-fitting times

Table 2 shows the pre-test scores of the participants with the mean score of 104.86 secs.

Table 2
Respondents' Post test Scores in the 1-KM cycling time trial

	N	Minimum	Maximum	Mean	Std. Deviation
Pretest	30	86.80 secs	128.8 secs	104.86 secs	10.01476
Valid N (listwise)	30				

The maximum pretest score was 86.80 secs and the minimum was 128.8 secs. The standard deviation of 10.01 (SD = ± 104.86) which indicated that the pre-test time of the respondents were dispersed. Based on the study conducted by (Wiles et al., 2023) The results in their study indicates a significant improvement in performance time in their Post test trial by (2.3 s) in the 1-KM cycling time trial. In conclusion there is a significant time improvement compared to their pretest scores and Bike fitting does improve the overall performance of the cyclist.

Table 3 shows correlation coefficient between the Pre-test and Post-test were 13.049. The p-value is 0.000, which shows less than the significance level of 0.01. Therefore, there is a significant difference on the pretest and posttest scores in the 1-KM cycling time trial.

Table 3
Significant Difference between the Pre-test and the Post-test scores in the 1-KM Cycling Time Trial

Pre-Test and Post Test	r	13.049
	p	.000
	Interpretation	Significant difference exists

**significant level at 0.01

In a similar study conducted by Holliday & Swart, (2021), Choi et al., (2018) indicated that the dynamic Bike fitting had a positive effect such as increased pedaling kinematic stability, increase power output and kinetic efficiency on pedaling performance for improving time in a time trial. In another study by Hetzler (2008), suggest that certain bike fitting adjustments can directly impact power output, which is critical for improving time in a cycling time trial; This means that the after-bike fitting being applied, it significantly decreases the time of 1-KM cycling time trial.

DISCUSSION

The effectiveness of bike fitting in improving the time on a 1-km cycling time trial for an amateur road cyclist was investigated by determining to what extent the objectives of the study have been achieved. Based on the data obtained, presented, and analyzed on Results of the effectiveness of bike fitting in improving the time on a 1-km cycling time trial for an amateur road cyclist, the researchers summarized the study as follows

This research explored how bike fitting influences performance in a 1-KM cycling time trial for an amateur road cyclist. The results indicate that a professional bike fit significantly improved the cyclist's time trial performance, with post-test results showing faster times than pre-test scores. Beyond speed improvements, the adjustments contributed to enhanced flexibility, posture, and range of motion in different areas of the body while also promoting better balance and a more efficient riding form. Statistical findings reinforce these observations, as the correlation coefficient of 13.049 and a p-value of 0.000—well below the 0.01 threshold—confirm that the improvements were both substantial and statistically significant. This highlights the crucial role of proper bike fitting in maximizing efficiency and performance, especially for amateur cyclists aiming to optimize their riding experience.

Prior research aligns with these findings, demonstrating that bike fitting enhances biomechanical efficiency, minimizes unnecessary energy expenditure, and lowers injury risk. Studies on cyclists of varying skill levels suggest that correct positioning and alignment contribute to improved power output and endurance while reducing stress on the joints and muscles. In a study by Holliday & Swart (2021), Choi et al. (2018) observed that dynamic bike fitting positively influenced pedaling mechanics by increasing kinematic stability, power output, and overall pedaling efficiency—factors that play a key role in reducing time during a cycling trial. Additionally, Hetzler (2008) proposed that specific bike adjustments directly impact power generation, making them critical in improving performance. These findings resonate with the present study, reinforcing the idea that professional bike fitting significantly enhances time trial results.

From a practical standpoint, the findings emphasize that both amateur and professional cyclists can benefit from a proper bike fit, as it not only enhances performance but also mitigates injury risks. According to DMU (2015), Poor positioning is a known contributor to musculoskeletal discomfort, including pain in the back, knees, neck, wrists, and hands. Addressing these concerns through optimized fitting can improve efficiency and reduce strain. Theoretically, as stated by Velo System (n.d.) this study contributes to the growing body of research on cycling biomechanics, which focuses on improving the interaction between the cyclist and their bicycle for enhanced posture, alignment, and pedaling mechanics. Clinically, proper fitting has been linked to injury prevention and muscle efficiency, according to the University of Michigan Health (n.d.) supporting the idea that biomechanical analysis programs can enhance both comfort and overall riding performance.

Despite these promising results, certain limitations exist. The study was conducted with a relatively small sample size and within a short time frame, which may affect the broader applicability of the findings. While the benefits of bike fitting are well-documented, further investigations should focus on larger and more diverse groups of cyclists to establish universally applicable fitting protocols and examine long-term effects across various cycling disciplines. Expanding research in this field could provide a deeper understanding of how bike fitting influences sustained performance, efficiency, and injury prevention for cyclists of all levels.

CONCLUSIONS

1. Improvements in the 1-KM cycling time trial were most apparent after the participants completed the bike fitting, where their posttest scores significantly improved compared to their pretest scores.
2. The intervention of the Bike Fitters protocol helped improve body flexibility, posture, range of motion (upper, mid, and lower body), and balance. The device is viewed as moderately acceptable in terms of safety, with respondents expressing confidence in its safety for use as a therapist.
3. The results of the study showed a significant difference between the pretest and posttest measurements of the 1-KM cycling time trial after the participants underwent the bike fitting, indicating consistency with the study's objective.
4. The findings demonstrated that bike fitting is an effective medium for delivering an exercise program.
5. There is sufficient evidence to reject the null hypothesis that there is no significant difference between the pretest and posttest scores of the 1-KM cycling time trial after the implementation of the bike fitting.

ACKNOWLEDGEMENTS

The researchers would like to sincerely thank the following for helping to make the thesis possible, to begin by expressing appreciation to the Good Lord, for providing the strength, confidence, and insight to pursue this study.

To University of Perpetual Help - Dr. Jose G. Tamayo Medical University, for being our second home and teaches us to be Christian professionals. To our Dean, John P. Lumagui, PTRP, MAEd, MSCPD, for the continuous support and guidance and for being a compassionate patriarch of our College Department. To our adviser, Manuel Alejandro R. Gonzalez, PTRP, DPT, for giving us advice, valuable comments and suggestions that lead us to finishing our goals and objectives of our thesis. To Mr. Jefferson Planilla, PTRP, for the unconditional guidance and support throughout our research. To our research professor, Stephanie Piol, PTRP, MSCPD, DPT, for teaching us the techniques and fundamentals of research writing.

To our respondents, for allotting their time and effort that made our study's data completed and concluded. To our beloved parents, batchmates, professors, and friends for the never-ending support and motivating us to reach higher. And lastly, for the financial, emotional and

moral support you have given us. Each one of you became a big part of our success, and we could not have done this without you. From the bottom of our hearts, thank you very much.

REFERENCES

- Althunyan, A. K., Darwish, M. A., & Abdel, M. (2017). Knee problems and its associated factors among active cyclists in Eastern Province, Saudi Arabia. *Journal of Family and Community Medicine*, 24(1), 23–23. <https://doi.org/10.4103/2230-8229.197178>
- Asim Ghouri, Quicke, J. G., & Conaghan, P. G. (2021). New developments in osteoarthritis pharmacological therapies. *Rheumatology*, 60(Supplement_6), vi1–vi11. <https://doi.org/10.1093/rheumatology/keab679>
- Battista, S., Manoni, M., Dell’Isola, A., Englund, M., Palese, A., & Testa, M. (2022). Giving an account of patients’ experience: A qualitative study on the care process of hip and knee osteoarthritis. *Health Expectations*, 25(3), 1140–1156. <https://doi.org/10.1111/hex.13468>
- Bellinger. (2014). Researchgate.net. https://www.researchgate.net/publication/270453176_Reproducibility_of_a_Laboratory-Based_1-km_Wattbike_Cycling_Time_Trial_in_Competitive_Cyclists
- Bini & Hunter (2021). Pain and body position on the bicycle in competitive and recreational road cyclists: A retrospective study. https://opal.latrobe.edu.au/articles/journal_contribution/Pain_and_body_position_on_the_bicycle_in_competitive_and_recreational_road_cyclists_A_retrospective_study/15102090
- Borgers. (2020). Etiology of knee pain in elite cyclists: A 14-month consecutive case series. *Acta Orthopaedica Belgica*, 86(2). <https://pubmed.ncbi.nlm.nih.gov/33418617/>
- Carroll et al. (2021). Movement System Theory and Anatomical Competence: Threshold Concepts for Physical Therapist Anatomy Education
- CHOI, J.S. et al. (2018) ‘Effects of dynamic bike fitting by lower limb alignment on pedaling performance’, *Journal of Mechanics in Medicine and Biology*, 18(08), p. 1840039. doi:10.1142/s0219519418400390.
- Heltzer et al. (2008) Reliability and accuracy of handheld stopwatches compared with electronic timing in measuring sprint performance, *Journal of strength and conditioning research*. Available at: <https://pubmed.ncbi.nlm.nih.gov/18978613/>
<https://anatomypubs.onlinelibrary.wiley.com/doi/abs/10.1002/ase.2083>
- Kotler, D.H. (2016). Prevention, Evaluation, and Rehabilitation of Cycling-Related Injury - Kotler, Dana H. MD; Babu, Ashwin N. MD; Robidoux, Greg PT. *Current Sports Medicine Reports*. <https://journals.lww.com/acsm-csmr/pages/default.aspx>
- Martin et al. (2023). Low Back Pain in Cycling. Are There Differences between Road and Mountain Biking <https://www.mdpi.com/1660-4601/20/5/3791.pdf>
- Potential factors associated with knee pain in cyclists: a systematic review. (2018). *Open Access Journal of Sports Medicine*. <https://doi.org/10.2147/OAJSM.S136653>
- Said et al. (2022). Preliminary Study of Postural Safety and Ergonomics Analysis Related to Cycling Activity https://medic.upm.edu.my/upload/dokumen/202207221211404_1122.pdf.
- Schwellnus and Derman (2014). Common injuries in cycling: Prevention, diagnosis, and management. *ResearchGate*. https://www.researchgate.net/publication/275065012_Common_injuries_in_cycling_Prevention_diagnosis_and_management.
- Sirisena (2021). Median and ulnar nerve injuries in cyclists: A narrative review. *National Library of Medicine*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8823486/>

- Stone, A. V., Beck, E. C., & Nho, S. J. (2019). Hip Injuries in Endurance Athletes: The Runner and Cyclist. *Operative Techniques in Sports Medicine*.
<https://doi.org/10.1053/j.otsm.2019.04.003>
- Sweeney, E. A., Rodenberg, R., & MacDonald, J. (2020). Overuse Knee Pain in the Pediatric and Adolescent Athlete. *Current Sports Medicine Reports*, 19(11), 479–485.
<https://doi.org/10.1249/jsr.0000000000000773>
- Wadsworth & Weinrauch (2019). THE ROLE OF A BIKE FIT in CYCLISTS with HIP PAIN. A CLINICAL COMMENTARY. THE ROLE OF A BIKE FIT in CYCLISTS with HIP PAIN. A CLINICAL COMMENTARY - PMC (nih.gov)
- Wainwright, T. W. (2020). A cycling and education intervention for the treatment of hip osteoarthritis: A quality improvement replication programme - Thomas W Wainwright, Louise C Burgess, Tikki Immins, Neil Cowan, Robert G Middleton, 2020. SAGE Open Medicine.
- Whittaker et al. (2019). Imaging with ultrasound in physical therapy: What is the PT's scope of practice? A competency-based educational model and training recommendation
- Wiles et al. (2023). The effects of caffeine ingestion on performance time, speed and power during a laboratory-based 1 km cycling time-trial. *Journal of Sports Sciences*.
<https://www.tandfonline.com/doi/abs/10.1080/02640410500457687>